## Residual Functional Capacity Questionnaire HEPATITIS C

Patient:			
DOB:			
Physician completing th	nis form:		
	following questions rega eatment notes, radiologis		rments and attach all supporting test results.
	Sympto	oms & Diagnosis	
Does this patient have	hepatitis C? □Yes □I	No If yes, is the patient	symptomatic? □Yes □No
What other diagnoses I	nas this patient received?	?	
Describe the patient's s	symptoms, such as pain,	dizziness, fatigue, etc	
•	chronic pain/paresthesia? ype of pain, location, frec		ors, and severity.
	☐ Diarrhea (recurrent) ☐ Esophageal Varices ☐ Loss of Appetite ☐ Nausea/Vomiting nt Pain	☐ Ascites ☐ Chronic Fatigue ☐ Dizziness ☐ Fevers (recurrent) ☐ Jaundice ☐ Neuropathy ☐ Sleep Disturbance	<ul><li>☐ Muscular/Joint Aches</li><li>☐ Peripheral Edema</li><li>☐ Skin Rashes</li><li>☐ Urinary Incontinence</li></ul>
If yes, does the elevation of labor	atigue? □Yes □No degree of fatigue correl ratory tests? □Yes □ lain:	No	hepatitis C or with the degree of
What is the earliest dat	e that the above descript	ion of limitations applies	?
Have these symptoms	lasted (or are they expec	ted to last) twelve month	ns or longer? ☐ Yes ☐ No
	oms and functional limita nark any known psycholo □ Anxiety		ect this patient's pain:



functional limitations?   Yes   No  If no, please explain:
Testing & Treatments
Identify any positive clinical findings and test results:
Please list the patient's current medications:
Please indicate the treatment type, start dates, and frequency:
What is the national angular promotion
What is the patient's prognosis?
Functional Work Limitations
When answering the following questions, please consider this patient's impairments and estimate his or her ability to work in a competitive work environment for an 8-hour shift with normal breaks.
How often do you expect this patient's pain or symptoms to interfere with the attention and concentration necessary to perform simple work tasks?  □ Never □ Rarely (1% to 5% of an 8 hour working day) □ Occasionally (6% to 33% of an 8 hour working day) □ Frequently (34% to 66% of an 8 hour working day) □ Constantly
How well do you expect this patient to be able to tolerate work stress?  ☐ Incapable of even "low stress" jobs ☐ Only capable of low stress jobs ☐ Moderate stress is okay ☐ Capable of high stress situations Explain:
Does this patient take any medications (such as interferon or ribavirin) with side effects that may affect his or her ability to work? ☐ Yes ☐ No  If yes, please list possible side effects.
How far can this patient walk without rest or severe pain?



i iow ioi	Minutes: 0 5 10 15 20 30 45  Hours: 1 2 Longer than 2  What must the patient usually do after sitting this long?  Stand  Walk  Lie Down  Other:	
How loi	Ing can this patient stand comfortably at one time before needing to sit or walk around?  Minutes: 0 5 10 15 20 30 45  Hours: 1 2 Longer than 2  What must the patient usually do after sitting this long?  □ Sit □ Walk □ Lie Down □ Other:	
How loi	ng can this patient sit in an 8-hour working day? ☐ less than 2 hours ☐ about 2 hours ☐ about 4 hours ☐ at least 6 hours	
How lor	ng can this patient stand and/or walk in an 8-hour working day? ☐ less than 2 hours ☐ about 2 hours ☐ about 4 hours ☐ at least 6 hours	
	his patient require a job that allows the opportunity to change between sitting, standing and ward $\square$ Yes $\square$ No	lking
Does th	his patient require unscheduled breaks? ☐ Yes ☐ No If yes, how often?	
	For which symptoms? ☐ Fatigue ☐ Medication Side Effects ☐ Nausea ☐ Pain/Arthralgia ☐ Other:	
	During this time, this patient will need to ☐ lie down ☐ sit quietly for min	utes.
With pr	rolonged sitting, should this patient's leg(s) be elevated? □ Yes □ No If yes, for what percentage of time in an 8-hour day?%	
	How high?	
During	occasional standing/walking, does this patient require a cane or other assistive device?  ☐ Yes ☐ No	
How ma	any pounds can this patient lift and carry?  Never Rarely Occasionally Frequently	
	Less than 10 lbs.	



How often can t	his patient perfo	rm the follow	ing activities						
Twist Stoop ( Crouch	bend)	Never	Rarely □ □	Occasiona	ally F	Frequently  □  □			
Climb la Climb s									
☐ Yes	lease indicate t	he percentage	e of time this	patient car	_		ng activities:		
	Using hands to Using fingers to Using arms to I	or fine manipu	ulation	Rig	ght	% Left _ % Left _ % Left _	%		
☐ Yes If yes, p from wo	olease estimate, ork as a result of	on average, f	how many da ents or treatr	ays per moi ment:	nth your p	oatient is like	ely to be absent		
☐ Neve ☐ Abou ☐ Abou	er ut one day per m ut two days per r	onth 🗆 A	About three d About four da More than fou	ys per mon	ıth				
sustained basis	e any other limita , such as psyche etness, humidity	ological issue	s, limited vis	ion or heari	ing, or the				
Please describe additional tests or clinical findings not described on this form that clarify the severity of the patient's impairments.									
Completed by:									
Physican's Prin	ted Name			Physician's	Signatur	e			
Address				Date					

