

## Residual Functional Capacity Questionnaire SYSTEMIC LUPUS ERYTHEMATOSUS

Patient: \_\_\_\_\_

DOB: \_\_\_\_\_

Physician completing this form: \_\_\_\_\_

Please complete the following questions regarding this patient's impairments and attach all supporting treatment notes, radiologist reports, laboratory and test results.

### Symptoms & Diagnosis

Does your patient fulfill the diagnostic criteria for systemic lupus erythematosus, as defined by the American College of Rheumatology?    Yes    No

Please mark all positive indicators:

- Malar rash on cheeks
- Discoid rash
- Photosensitivity
- Oral Ulcers
- Non-erosive arthritis involving pain in two or more peripheral joints.

If yes, do affected joints also exhibit persistent swelling, redness, significant limitation of motion, tenderness or warmth? \_\_\_\_\_

Indicate affected joints: \_\_\_\_\_

- Cardiopulmonary involvement shown by pleurisy or low pericarditis.
- Renal involvement shown by persistent proteinuria
  - greater than 0.5 gm/day       3+ on test sticks       cellular casts
- Central nervous system involvement shown by seizures and/or psychosis (in absence of drugs or metabolic disturbances known to cause such effect)
- Hemolytic anemia or leukopenia (WBC below 4,000/mm<sup>3</sup>) or lymphopenia (below 1,500 lymphocytes/mm<sup>3</sup>) or thrombocytopenia (below 100,000 platelets/mm<sup>3</sup>)
- Positive LE cell preparation or anti-DNA or anti-Sm anti-body or false positive serum test for syphilis known to be positive for at least six months
- Positive test for ANA at any point in time (in absence of drugs known to cause abnormality)

What other diagnoses has this patient received? \_\_\_\_\_

\_\_\_\_\_

Describe the patient's symptoms, such as pain, dizziness, fatigue, etc. \_\_\_\_\_

\_\_\_\_\_

Does the patient have chronic pain/paresthesia?    Yes    No

Describe the patient's type of pain, location, frequency, precipitating factors, and severity. \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Please indicate all positive objective signs exhibited by the patient:

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Abdominal Cramping/Pain                                 | <input type="checkbox"/> Avascular Necrosis   | <input type="checkbox"/> Bruising easily       |
| <input type="checkbox"/> Changed Clotting Capacity                               | <input type="checkbox"/> Constipation         | <input type="checkbox"/> Dermal Vasculitis     |
| <input type="checkbox"/> Diarrhea  | <input type="checkbox"/> Fatigue (severe)     | <input type="checkbox"/> Fever (severe)        |
| <input type="checkbox"/> Frequent Infections (including UTI)                     | <input type="checkbox"/> Hair Loss            | <input type="checkbox"/> Impaired Coordination |
| <input type="checkbox"/> Lymph Node Enlargement                                  | <input type="checkbox"/> Lupoid Hepatomegaly  | <input type="checkbox"/> Malaise (severe)      |
| <input type="checkbox"/> Migraine Headaches                                      | <input type="checkbox"/> Muscle Weakness      | <input type="checkbox"/> Nausea/Vomiting       |
| <input type="checkbox"/> Paralysis Episodes (central nervous system involvement) | <input type="checkbox"/> Raynaud's Phenomenon | <input type="checkbox"/> Peripheral Neuropathy |
| <input type="checkbox"/> Peritonitis   | <input type="checkbox"/> Urinary Urgency      | <input type="checkbox"/> Sjogren's Syndrome    |
| <input type="checkbox"/> Sleep Issues  | <input type="checkbox"/> Weight Loss (severe) | <input type="checkbox"/> Urinary Incontinence  |
| <input type="checkbox"/> Vision Impairments                                      |   |  |
| <input type="checkbox"/> Other: _____  |   |  |

Does the patient complain of gastrointestinal issues?  Yes  No  
If yes, what is the severity?  Mild  Moderate  Severe

What is the earliest date that the above description of limitations applies? \_\_\_\_\_

Have these symptoms lasted (or are they expected to last) twelve months or longer?  Yes  No

Are this patient's symptoms and functional limitations impacted by emotional factors?  Yes  No  
If yes, please mark any known psychological conditions that affect this patient's pain:  
 Depression  Anxiety  Somatoform disorder  Personality disorder  
 Other: \_\_\_\_\_

Are these physical and emotional impairments reasonably consistent with the patient's symptoms and functional limitations?  Yes  No  
If no, please explain: \_\_\_\_\_  
\_\_\_\_\_

### Testing & Treatments

Identify any positive clinical findings and test results, including renal/cardiopulmonary involvement: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Please list the patient's current medications: \_\_\_\_\_  
\_\_\_\_\_

Please indicate the treatment type, start dates, and frequency: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

What is the patient's prognosis? \_\_\_\_\_

Is this patient a malingerer?  Yes  No

### Functional Work Limitations

When answering the following questions, please consider this patient's impairments and estimate his or her ability to work in a competitive work environment for an 8-hour shift with normal breaks.

How often do you expect this patient's pain or symptoms to interfere with the attention and concentration necessary to perform simple work tasks?

- Never
- Rarely (1% to 5% of an 8 hour working day)
- Occasionally (6% to 33% of an 8 hour working day)
- Frequently (34% to 66% of an 8 hour working day)
- Constantly

How well do you expect this patient to be able to tolerate work stress?

- Incapable of even "low stress" jobs
- Only capable of low stress jobs
- Moderate stress is okay
- Capable of high stress situations

Explain: \_\_\_\_\_

\_\_\_\_\_

Is this patient taking any medications with side effects that may affect his or her ability to work?

- Yes  No

If yes, please list possible side effects. \_\_\_\_\_

\_\_\_\_\_

How far can this patient walk without rest or severe pain? \_\_\_\_\_

How long can this patient sit comfortably at one time before needing to get up?

Minutes: 0 5 10 15 20 30 45

Hours: 1 2 Longer than 2

What must the patient usually do after sitting this long?

- Stand  Walk  Lie Down  Other: \_\_\_\_\_

How long can this patient stand comfortably at one time before needing to sit or walk around?

Minutes: 0 5 10 15 20 30 45

Hours: 1 2 Longer than 2

What must the patient usually do after sitting this long?

- Sit  Walk  Lie Down  Other: \_\_\_\_\_

How long can this patient sit in an 8-hour working day?

- less than 2 hours
- about 2 hours
- about 4 hours
- at least 6 hours

How long can this patient stand and/or walk in an 8-hour working day?

- less than 2 hours
- about 2 hours
- about 4 hours
- at least 6 hours

Does this patient need to include periods of walking in an 8-hour working day?

- Yes  No

If yes, how often? 5 10 15 20 30 45 60 90 minutes

For how many minutes? 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15



Please describe any other limitations that might affect this patient's ability to work at a regular job on a sustained basis, such as psychological issues, limited vision or hearing, or the inability to adjust to temperature, wetness, humidity, noise, dust, fumes, gases or hazards, etc.

---

---

---

Please describe additional tests or clinical findings not described on this form that clarify the severity of the patient's impairments.

---

---

---

Completed by:

\_\_\_\_\_  
Physician's Printed Name

\_\_\_\_\_  
Physician's Signature

\_\_\_\_\_  
Address  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
Date